

***Echinorhyncha* Dressler, gen. nov.**

*Warczewiczellae* Rchb.f. similis, sed appendicibus echinatis sub columna differt.

Type species: *Chondrorhyncha litensis* Dodson, Icon. Pl. Trop., ser. 2, 5: pl. 417. 1989.

Etymology: From the Greek *echinos*, sea urchin or hedgehog, and *rhynchos*, beak, referring to the appendages under the column.

This clade consists of four or five species that resemble *Warczewiczella*, but the column bears two or more bristly, sea urchin-like appendages on the underside. The stipe is pandurate or narrowed basally. Drawings of *E. ecuadorensis* and *E. litensis* are given in Dodson (1989, plates 415 and 417, cited below).

***Echinorhyncha antonii* (Ortiz) Dressler, comb. nov.**

Basionym: *Chondrorhyncha antonii* Ortiz, Orquideología 19: 14. 1994.

***Echinorhyncha ecuadorensis* (Dodson) Dressler, comb. nov.**

Basionym: *Chondrorhyncha ecuadorensis* Dodson, Icon. Pl. Tropic. ser. 2, 5: 415. 1989.

***Echinorhyncha litensis* (Dodson) Dressler, comb. nov.**

Basionym: *Chondrorhyncha litensis* Dodson, Icon. Pl. Tropic. ser. 2, 5: 417. 1989.

***Echinorhyncha vollesii* (Gerlach, Neudecker & Seeger) Dressler, comb. nov.**

Basionym: *Chondrorhyncha vollesii* Gerlach, Neudecker & Seeger, Die Orchidee 40(4): 131. 1989.