

384. *Epidendrum (Nanodes) congestum*, Rolfe; ab *E. discolor*, Benth., floribus minoribus pallide viridibus differt.

Herba epiphytica, nana, 3-4 cm. alta. *Folia disticha*, patentia, ovato-oblonga, obtusa, 1·5-2·5 cm. longa, 7-9 mm. lata, coriacea, carinata, margine revoluta et minutissime denticulata. *Bracteae imbricatae*, conduplicatae, ovatae, obtusae, minutissime denticulatae, circiter 1 cm. longae. *Pedicelli* 5-6 mm. longi. *Flores terminales*, 2-3, ad apices ramorum congesti, subcarnosi. *Sepalum posticum reflexum*, ovatum, subacutum, 1 cm. longum; sepala lateralia patentia, oblongo-lanceolata, acuta, valide carinata, concava, 1 cm. longa. *Petala lanceolata*, acuta, 9 mm. longa, apice subrecurva. *Labellum columnae adnatum*, limbus cordato-ovatus, acutus, 5-6 mm. longus. *Columna lata*, circiter 6 mm. longa.

COSTA RICA.

Flowered in the Royal Botanic Gardens, Glasnevin, in January, 1911. The flowers are pale green, with an emerald green lip, and the column suffused and mottled with red purple.