Kefersteinia licethyi D. E. Benn. & Christenson, sp. nov. (Fig. 8)

Type: PERU. Pasco: Oxapampa, Caserio Eneñas, between Villarica and Cacazu, 1200 m, 16 April 1991, O. del Castillo ex D. Bennett 5054 (HOLOTYPE: NY).

Species haec K. bertholdii Jenny similis sed labellum deorsum extensum callo curvato erecto differt.

Caespitose, acaulous epiphytes to 7 cm tall, producing fan-shaped growths. Leaves several, grading with foliaceous bracts, narrowly lanceolate, conduplicate basally, acuminate, articulated to sheaths, 5-9 × 1.5 cm. Inflorescences axillary pendent scapes, the peduncle very slender, with 1-2 bracts below the middle, the floral bracts 2, subopposite, dissimilar. Sepals and petals pale clear green with purple spots and markings towards the base, the labellum dark purple, distally clear green with pale purple spots, the callus dark purple, the column clear green, the anther whitish lime-green, the stipe translucent white, the caudicles yel-




Fig. 8. Kefersteinia licethyi (drawn from Bennett 5054). A. Plant in flower. B. Flower. C. Labellum from above. D. Column from below. E. Floral dissection with close-ups of apices. F-G. Close-up of callus. H. Labellum and column in profile. I. Anther cap. J. Pollinarium.

low, the pollinia semiopaque grayish-white. Sepals subsimilar, lanceolate, concave, apices somewhat thickened, with a ventral apicule,  $7.3 \times 3$  mm, the dorsal sepal embracing the column. Petals obliquely oblanceolate, apiculate,  $7 \times 3$  mm. Labellum atypical for the genus, extended downwards 165 degrees to the column axis, clawed, ovate, sides lightly pinched near the middle, apex obtuse,  $7.5 \times 5$  mm, the callus curvate, erect, thick, bidentate. Column erect, claviform, foot short, ventral keel extending from the stigma to the column foot. Anther broadly oblong-obovoid,  $2.3 \times 1.9$ mm, pollinia 4 in 2 unequal pairs, the larger  $1.5 \times 0.5$  mm, the smaller  $1.2 \times 0.5$  mm, the viscidium subrhombic,  $1.5 \times 1.2$  mm.

Etymology: Named for Licethy del Castillo Castro, oldest daughter of Sr. Oliveros del Castillo, collector of the species.

Habitat: Wet montane forest. Flowering March to April in cultivation in Lima but probably during most of the year in the wild.

Kefersteinia licethyi is an extremely unusual species of Kefersteinia that is distinguished by the downward extended labellum with a curvate, erect callus.