## Pleurothallis londonoi Luer, sp. nov.

Ety.: Named in honor of R. Londoño, co-collector of this species.

Inter species subgeneris Ancipitiae habitu grande, sepalis mediocribus carnosis, petalis crassis acutis, labello ovato crasso apice argute compresso.

Plant medium in size to large, epiphytic, caespitose; roots slender. Ramicauls stout, erect, compressed above the middle, 10-20 cm long, 3-4 mm deep at the leaf, with a tubular sheath below the middle and 2-3 sheaths at the base. Leaf rigid, thickly coriaceous, suberect to spreading, narrowly ovate, acute, 6-10 cm long, 2-3 cm wide, the base sessile, rounded to subcordate. Inflorescence a fascicle of single, successive flowers borne from a reclining spathe 5-6 mm long, at the base of the leaf; peduncle slender, suberect, 5 mm long; floral bract tubular, 6 mm long; pedicel 10 mm long; ovary 5 mm long; sepals yellow with purple spots, fleshy, glabrous, concave, the dorsal sepal narrowly ovate-triangular, acute, 8 mm long, 3 mm wide, the lateral sepals completely connate into a synsepal similar to the dorsal sepal, 7.5 mm long, 4 mm wide; petals thick, narrowly ovate, acute, microscopically erose, 7 mm long, 2.3 mm wide; lip thick, ovate, acute, 4.5 mm long, 1.4 mm wide, shallowly channeled centrally, the apex laterally compressed with the margin sharp, oblique, the base subtruncate, concave on the end, hinged below to the base of the thick column; column thick, semiterete, 3 mm long, the anther and stigma subapical, the base of the column thickened.

COLOMBIA: Dept. of Antioquia: Urrao, Páramo de Frontino, El Río en Bosque, alt. 3150 m, 7 Jan. 1984, R. Londoño, B. Garcia & G. Galeanas 83 (Holotype: HUA); C. Luer illustr. 17993.

This species is known only from the original collection made in 1984 by R. Londoño and companions in a high páramo in the Western Cordillera of Colombia. Vegetatively it is large for the subgenus *Ancipitia*, but the fleshy, purple-spotted, bilabiate flowers are average in size. The concave dorsal sepal and synsepal are similar; the thick, ovate petals are nearly as large; and the lip is thick and ovate, laterally compressed at the apex with an oblique margin like the prow of a ship.




Plate 24. Pleurothallis londonii Luer