



Royal
Horticultural
Society

Sharing the best in Gardening

QUARTERLY SUPPLEMENT TO THE
INTERNATIONAL REGISTER
AND CHECKLIST
OF ORCHID HYBRIDS
(SANDER'S LIST)

JULY – SEPTEMBER 2014 REGISTRATIONS

Distributed with
The
Orchid Review

VOLUME 122, NUMBER 1308, DECEMBER 2014

REGISTRAR'S NOTES ON NAMES IN THIS SUPPLEMENT

¶ Species new to registration

Coelogyne huettneriana Rchb.f.
Dendrobium biloculare J.J.Sm.
Dendrobium soriense Howcroft.
Dendrobium vagans Schltr.
Encyclia aspera (Lindl.) Schltr.
Encyclia trachychila (Lindl.) Schltr.
Masdevallia bennettii Luer.
Masdevallia suinii Luer & Hirtz.
Oncidium cruentoides M.W.Chase & N.H.Williams, (syn. *Odontoglossum cruentum* Rchb.f.)
Otoglossum candelabrum (Linden ex Pérot) Jenny & Garay, (syn. *Oncidium candelabrum* Linden ex Pérot).
Porroglossum josei Luer.
Restrepia persicina Luer & Hirtz.
Trichoglottis gibbosicalcar (Seidenf.) Senghas

REGISTRAR'S NOTES ON NAMES IN THE REGISTER

Natural genus new to registration

Taprobanea [Tpb.] E.Christenson, a monotypic genus now accepted for the species previously known as *Vanda spathulata*.

New hybrid genera

x *Dineclia* [Dii.] J.M.H.Shaw = *Dinema* Lindl. x *Encyclia* Hook.
x *Boelanara* [Bon.] J.M.H.Shaw = *Papilionanthe* Schltr. x *Renanthera* Lour. x *Taprobanea* Christenson x *Vanda* R.Br.
Named for Boelan, a plant breeder in Java.
x *Corbettara* [Crb.] J.M.H.Shaw = *Renanthera* Lour. x *Rhynchostylis* Blume x *Taprobanea* Christenson x *Vanda* R.Br.
Named for the late Robert Corbetta who synthesized this hybrid.
x *Tapilinopsis* [Tlp.] J.M.H.Shaw = *Papilionanthe* Schltr. x *Phalaenopsis* Blume x *Taprobanea* Christenson
x *Taprachnis* [Tpch.] J.M.H.Shaw = *Arachnis* Blume x *Taprobanea* Christenson
x *Taprachthera* [Tar.] J.M.H.Shaw = *Arachnis* Blume x *Renanthera* Lour. x *Taprobanea* Christenson
x *Tapranda* [Tpd.] J.M.H.Shaw = *Taprobanea* Christenson x *Vanda* R.Br.
x *Tapranthera* [Tpr.] J.M.H.Shaw = *Renanthera* Lour. x *Taprobanea* Christenson
x *Tapranthopsis* [Tph.] J.M.H.Shaw = *Sarcanthopsis* Garay x *Taprobanea* Christenson
x *Taprenopsis* [Tprn.] J.M.H.Shaw = *Phalaenopsis* Blume x *Renanthera* Lour. x *Taprobanea* Christenson
x *Taprenvandopsis* [Trvp.] J.M.H.Shaw = *Renanthera* Lour. x *Taprobanea* Christenson x *Vandopsis* Pfitzer
x *Taproanthe* [Tpr.] J.M.H.Shaw = *Papilionanthe* Schltr. x *Taprobanea* Christenson
x *Taproglottis* [Tpg.] J.M.H.Shaw = *Taprobanea* Christenson x *Trichoglottis* Blume
x *Tapronopsis* [Tpp.] J.M.H.Shaw = *Phalaenopsis* Blume x *Taprobanea* Christenson
x *Tapropapilanda* [Tppd.] J.M.H.Shaw = *Papilionanthe* Schltr. x *Taprobanea* Christenson x *Vanda* R.Br.
x *Tapropapilantha* [Tplt.] J.M.H.Shaw = *Papilionanthe* Schltr. x *Renanthera* Lour. x *Taprobanea* Christenson
x *Taproparanthera* [Tprp.] J.M.H.Shaw = *Paraphalaenopsis* A.Hawkes x *Renanthera* Lour. x *Taprobanea* Christenson
x *Taprophalanda* [Tpin.] J.M.H.Shaw = *Phalaenopsis* Blume x *Taprobanea* Christenson x *Vanda* R.Br.
x *Taprotrichothera* [Tprt.] J.M.H.Shaw = *Renanthera* Lour. x *Taprobanea* Christenson x *Trichoglottis* Blume
x *Tapvandachnis* [Tvd.] J.M.H.Shaw = *Arachnis* Blume x *Taprobanea* Christenson x *Vanda* R.Br.
x *Tapvandra* [Tvr.] J.M.H.Shaw = *Renanthera* Lour. x *Taprobanea* Christenson x *Vanda* R.Br.

New cultivar

Disa Betty Arnold grex 'Beloved Keith'

Bred, selected and named by Tom Watson, Darlington, named for a local nurseryman who died in 2013 at the age of 66. A seedling selected from the same batch of seedlings as the cultivar on which the grex Betty Arnold is based, selected from *Disa uniflora* ('Red Success' x 'Crimson Red') x *Disa* Oak Valley grex. Made 2009, first flowering 26 Jan 2014. Description: Flower with lateral sepals bright scarlet, 9.5cm tip to tip, height of flower 7cm. Dorsal sepal pale primrose with pink to red veining. All sepals 4cm wide.

New combinations

Malaxis reichenbachii (Marg.) J.M.H.Shaw comb. nov. Basionym: *Tamayorkis reichenbachii* Marg., *Richardiana* 6: 126 (2006).
Masdevallia amsleri (Luer & Jenny) J.M.H.Shaw comb. nov. Basionym: *Alatacaulia amsleri* Luer & Jenny, *Harvard Pap. Bot.* 16: 317 (2011).
Masdevallia barbozae (Luer) J.M.H.Shaw comb. nov. Basionym: *Alatacaulia barbozae* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 115: 240 (2009).
Masdevallia cracens (Luer) J.M.H.Shaw comb. nov. Basionym: *Alatacaulia cracens* Luer, Sijm & V.N.M.Rao, *Harvard Pap. Bot.* 16: 317 (2011).
Masdevallia dejonghei (Luer & Sijm) J.M.H.Shaw comb. nov. Basionym: *Luzama dejonghei* Luer & Sijm, *Harvard Pap. Bot.* 16: 337 (2011).
Masdevallia eyrei J.M.H.Shaw nom. nov. Replaced basionym: *Regalia adrianae* Luer & Sijm, *Harvard Pap. Bot.* 16: 346 (2011). Named for Ellis Eyre, *Masdevallia* grower, Nottinghamshire, UK.
Masdevallia ferrusii (Luer) J.M.H.Shaw comb. nov. Basionym: *Spilotantha ferrusii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.*

105: 273 (2006).

Masdevallia inamoena (Luer & Sijm) J.M.H.Shaw comb. nov. Basionym: *Alaticaulia inamoena* Luer & Sijm, *Monogr. Syst. Bot. Missouri Bot. Gard.* 112: 123 (2007).

Masdevallia neukermansii (Luer & Sijm) J.M.H.Shaw comb. nov. Basionym: *Alaticaulia neukermansii* Luer & Sijm, *Monogr. Syst. Bot. Missouri Bot. Gard.* 112: 125 (2007).

Masdevallia rojohnii (Luer) J.M.H.Shaw comb. nov. Basionym: *Alaticaulia rojohnii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 112: 127 (2007).

Masdevallia royi (Luer) J.M.H.Shaw comb. nov. Basionym: *Alaticaulia royi* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 105: 261 (2006).

Masdevallia ruthiana (Luer & Sijm) J.M.H.Shaw comb. nov. Basionym: *Rodrigoa ruthiana* Luer & Sijm, *Harvard Pap. Bot.* 16: 348 (2011).

Masdevallia tonsijmii (Luer) J.M.H.Shaw comb. nov. Basionym: *Spilotantha tonsijmii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 115: 241 (2009).

Oncidium neverlingii J.M.H.Shaw nom. nov. Replaced basionym: *Sigmatostalix vierlingii* König, *Arcula* 20: 447 (2010).

Oncidium sengerorum (Königer) J.M.H.Shaw comb. nov. Basionym: *Sigmatostalix sengerorum* König, *Arcula* 22: 476 (2012).

Oncidium zimmermanniana (Königer) J.M.H.Shaw comb. nov. Basionym: *Sigmatostalix zimmermanniana* König, *Arcula* 21: 458 (2011).

x **Orchidactylorhiza farquetii** (G.Keller) J.M.H.Shaw comb. nov. Basionym: *Orchis* x *farquetii* G.Keller, *Bull. Murith. Soc. Valais. Sci. Nat.* 1918: 78 (1918). Parentage: *Dactylorhiza sambucina* x *Orchis mascula*

x **Orchidactylorhiza guestphalica** (K.Richt.) J.M.H.Shaw comb. nov. Basionym: *Orchidactylorhiza* *Orchis* x *guestphalica* K.Richt., *Pl. Eur.* 1: 273 (1890). Parentage: *Dactylorhiza majalis* x *Orchis purpurea*

x **Orchidactylorhiza jeanpertii** (E.G.Camus & Luizet) J.M.H.Shaw comb. nov. Basionym: *Orchis* x *jeanpertii* E.G.Camus & Luizet, *J. Bot. (Morot)* 6: 416 (1892). Parentage: *Dactylorhiza incarnata* x *Orchis militaris*

x **Orchinea genovae** (Hautz.) J.M.H.Shaw comb. nov. Basionym: *Orchis* x *genovae* Hautz., *Verh. Zool.-Bot. Ges. Wien* 115: 51 (1976). Parentage: *Neotinea tridentata* x *Orchis patens*

x **Orchinea hermaniana** (C.Alibertis & A.Alibertis) J.M.H.Shaw comb. nov. Basionym: *Orchis* x *hermaniana* C.Alibertis & A. Alibertis, *Orchidophile (Asnières)* 87: 108 (1989). Parentage: *Neotinea tridentata* x *Orchis anatolica*

Pedilochilus strictifolius J.M.H.Shaw nom. nov. Replaced basionym: *Pedilochilus angustifolius* Schltr., *Repert. Spec. Nov. Regni Veg.* 16: 120 (1919).

Pelixia arechavaletae (Mytnik, Szlach. & Górniak) J.M.H.Shaw comb. nov. Basionym: *Pachygenium arechavaletae* Mytnik, Szlach. & Górniak, *Ann. Bot. Fenn.* 47: 218 (2010).

Pelixia chironiana (Mytnik, Rutk. & Szlach.) J.M.H.Shaw comb. nov. Basionym: *Pachygenium chironianum* Mytnik, Rutk. & Szlach., *Biodivers. Res. Conservation* 11-12: 6 (2008).

Pelixia gerala (Mytnik, Rutk. & Szlach.) J.M.H.Shaw comb. nov. Basionym: *Pachygenium gerialium* Mytnik, Rutk. & Szlach., *Biodivers. Res. Conservation* 11-12: 5 (2008).

Pelixia konsikiana (Mytnik, Rutk. & Szlach.) J.M.H.Shaw comb. nov. Basionym: *Pachygenium konsikianum* Mytnik, Rutk. & Szlach., *Biodivers. Res. Conservation* 11-12: 4 (2008).

Pelixia popowiana (Mytnik, Rutk. & Szlach.) J.M.H.Shaw comb. nov. Basionym: *Pachygenium popowianum* Mytnik, Rutk. & Szlach., *Biodivers. Res. Conservation* 11-12: 5 (2008).

Pelixia sagittata (Mytnik, Rutk. & Szlach.) J.M.H.Shaw comb. nov. Basionym: *Pachygenium sagittatum* Mytnik, Rutk. & Szlach., *Biodivers. Res. Conservation* 11-12: 7 (2008).

Pelixia schmidtiana (Mytnik, Szlach. & Górniak) J.M.H.Shaw comb. nov. Basionym: *Pachygenium schmidtianum* Mytnik, Szlach. & Górniak, *Ann. Bot. Fenn.* 47: 216 (2010).

Pelixia triangularis (Mytnik, Szlach. & Górniak) J.M.H.Shaw comb. nov. Basionym: *Pachygenium triangulare* Mytnik, Szlach. & Górniak, *Ann. Bot. Fenn.* 47: 217 (2010).

Phreatia epimonticola J.M.H.Shaw nom. nov. Replaced basionym: *Phreatia monticola* Rolfe, *J. Linn. Soc., Bot.* 42: 152 (1914).

Pleurothallis andreetae (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia andreetae* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 87 (2005).

Pleurothallis angustissima (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia angustissima* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 88 (2005).

Pleurothallis baccata (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia baccata* Luer, *Selbyana* 30: 2 (2009).

Pleurothallis baezensis (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia baezensis* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 91 (2005).

Pleurothallis carduela (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia carduela* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 107 (2005).

Pleurothallis chaparensis (Luer & R.Vásquez) J.M.H.Shaw comb. nov. Basionym: *Acronia chaparensis* Luer & R.Vásquez, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 110 (2005).

Pleurothallis culpameae (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia culpameae* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 122 (2005).

Pleurothallis diazii (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia diazii* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 126 (2005).

Pleurothallis dracuncula (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia dracuncula* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 130 (2005).

Pleurothallis escobarii (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia escobarii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 132 (2005).

Pleurothallis folsomii (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia folsomii* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 134 (2005).

Pleurothallis fonnegrae (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia fonnegrae* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 135 (2005).

Pleurothallis grobleri (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia grobleri* Luer & Hirtz, *Selbyana* 30: 3 (2009).

Pleurothallis hawkinsii (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia hawkinsii* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 141 (2005).

Pleurothallis hispidula (Luer & R.Escobar) J.M.H.Shaw comb. nov. Basionym: *Acronia hispidula* Luer & R.Escobar, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 142 (2005).

Pleurothallis homeroi (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia homeroi* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 144 (2005).

Pleurothallis iris (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia iris* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 145 (2005).

Pleurothallis llanganatensis (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia llanganatensis* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 152 (2005).

Pleurothallis lutheri (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Acronia lutheri* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 154 (2005).

Pleurothallis miniatura (Luer, Thoerle & F.Werner) J.M.H.Shaw comb. nov. Basionym: *Acronia miniatura* Luer, Thoerle & F. Werner, *Harvard Pap. Bot.* 16: 314 (2011).

Pleurothallis neobarbosae J.M.H.Shaw nom. nov. Replaced basionym: *Acronia barbosae* Luer & Thoerle, *Selbyana* 30: 3 (2009). *Pleurothallis barbosae* is already occupied.

Pleurothallis neodubbeldamii J.M.H.Shaw nom. nov. Replaced basionym: *Ancipitia dubbeldamii* Luer & Sijm, *Harvard Pap. Bot.* 16: 319 (2011). *Pleurothallis neodubbeldamii* is already occupied.

Pleurothallis neossa (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia neossa* Luer & Hirtz, *Selbyana* 30: 4 (2009).

Pleurothallis paraniesseniae J.M.H.Shaw nom. nov. Replaced basionym: *Acronia niesseniae* Luer, *Harvard Pap. Bot.* 16: 314 (2011). *Pleurothallis niesseniae* is already occupied.

Pleurothallis orygmoglossa (Luer & Dressler) J.M.H.Shaw comb. nov. Basionym: *Acronia orygmoglossa* Luer & Dressler, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 167 (2005).

Pleurothallis renieana (Luer & Sijm) J.M.H.Shaw comb. nov. Basionym: *Ancipitia renieana* Luer & Sijm, *Harvard Pap. Bot.* 16: 319 (2011).

Pleurothallis robusta (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia robusta* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 183 (2005).

Pleurothallis rutrifolia (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia rutrifolia* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 185 (2005).

Pleurothallis solomonii (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia solomonii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 193 (2005).

Pleurothallis suinii (Luer) J.M.H.Shaw comb. nov. Basionym: *Acronia suinii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 196 (2005).

Pleurothallis tandapiensis (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Acronia tandapiensis* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 197 (2005).

Pleurothallis vandenbergii (Chiron) J.M.H.Shaw comb. nov. Basionym: *Sansonnia vandenbergii* Chiron, *Richardiana* 12: 85 (2012).

Pleurothallis weneri (Luer & Thoerle) J.M.H.Shaw comb. nov. Basionym: *Acronia weneri* Luer & Thoerle, *Harvard Pap. Bot.* 16: 316 (2011).

x *Pseudadenia micrantha* (A.Kern.) J.M.H.Shaw comb. nov. Basionym: *Nigritella x micrantha* A.Kern., *Verh. K. K. Zool.-Bot. Ges. Wien* 15: 227 (1865). Parentage: *Gymnadenia rhellcani* x *Pseudorchis albida*

Quekettia peruviana (D.E.Benn. & Christenson) J.M.H.Shaw comb. nov. Basionym: *Stictophyllorchis peruviana* D.E.Benn. & Christenson, *Icon. Orchid. Peruv.* t. 778 (2001).

Serapias x godferyi* subsp. *gennaioi (Turco & Medagli) J.M.H.Shaw comb. et stat. nov. Basionym: *Serapias x gennaioi* Turco & Medagli, *GIROS Notiz.* 49: 68 (2012). Parentage: *S. cordigera* x *S. neglecta* subsp. *apulica*.

x *Serapicampsis nouletii* (Rouy) J.M.H.Shaw comb. nov. Basionym: *Serapias x nouletii* Rouy, *Bull. Soc. Bot. France* 36: 342 (1889). Parentage: *Anacamptis laxiflora* x *Serapias cordigera*

Specklinia rinkei (Luer) J.M.H.Shaw comb. nov. Basionym: *Sarcinula rinkei* Luer, *Selbyana* 30: 18 (2009).

Specklinia rojohniae (Luer) J.M.H.Shaw comb. nov. Basionym: *Muscarella rojohniae* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 105: 115 (2006).

Specklinia weneri (Luer) J.M.H.Shaw comb. nov. Basionym: *Muscarella weneri* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 105: 122 (2006).

Specklinia xyloura (Luer & Hirtz) J.M.H.Shaw comb. nov. Basionym: *Muscarella xyloura* Luer & Hirtz, *Monogr. Syst. Bot. Missouri Bot. Gard.* 105: 123 (2006).

Stelis alloinfundibulosa J.M.H.Shaw nom. nov. Replaced basionym: *Stelis infundibulosa* Luer, *Selbyana* 30: 22 (2009).

Stelis deutroadrinae J.M.H.Shaw nom. nov. Replaced basionym: *Salpistele adrianae* Luer & Sijm, *Selbyana* 30: 18 (2009).

Stelis deuteoweneri (Luer & Thoerle) J.M.H.Shaw comb. nov. Basionym: *Effusiella weneri* Luer & Thoerle, *Harvard Pap. Bot.* 16: 324 (2011). The name *Stelis weneri* is already occupied.

Stelis erectiflora (Luer) J.M.H.Shaw comb. nov. Basionym: *Crocodelanthe erectiflora* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 103: 311 (2005).

Stelis franciscensis (Luer, Thoerle & F.Werner) J.M.H.Shaw comb. nov. Basionym: *Crocodelanthe franciscensis* Luer, Thoerle & F.Werner, *Harvard Pap. Bot.* 16: 320 (2011).

Stelis hamiltoniana J.M.H.Shaw nom. nov. Replaced basionym: *Effusiella hamiltonii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 112: 108 (2007). The name *Stelis hamiltonii* is already occupied.

Stelis heteroarcuata J.M.H.Shaw nom. nov. Replaced basionym: *Stelis arcuata* O.Duque, *Orquideologia* 27: 12 (2010).

Stelis juxta (Luer, Thoerle & F.Werner) J.M.H.Shaw comb. nov. Basionym: *Crocodelanthe juxta* Luer, Thoerle & F.Werner, *Harvard Pap. Bot.* 16: 320 (2011).

Stelis lueriana (Karremans) J.M.H.Shaw nom. nov. Replaced basionym: *Dracontia lueriana* Karremans, *Ann. Naturhist. Mus. Wien*, B 113: 128 (2012).

Stelis mendietae (Luer, Thoerle & F.Werner) J.M.H.Shaw comb. nov. Basionym: *Crocodelanthe mendietae* Luer, Thoerle & F. Werner, *Harvard Pap. Bot.* 16: 321 (2011).

Stelis neominutiflora J.M.H.Shaw nom. nov. Replaced basionym: *Stelis minutiflora* Ames & C.Schweinf., *Schedul. Orchid.* 8: 18 (1925).
Stelis newoeneri J.M.H.Shaw nom. nov. Replaced basionym: *Crocodelanthe weneri* Luer & Thoele, *Harvard Pap. Bot.* 16: 323 (2011).
Stelis scolnikiae (Luer & Endara) J.M.H.Shaw comb. nov. Basionym: *Effusiella scolnikiae* Luer & Endara, *Monogr. Syst. Bot. Missouri Bot. Gard.* 112: 108 (2007).
Stelis speciosa (Luer, Thoele & F.Werner) J.M.H.Shaw comb. nov. Basionym: *Crocodelanthe speciosa* Luer, Thoele & F. Werner, *Harvard Pap. Bot.* 16: 321 (2011).
Stelis suinii (Luer) J.M.H.Shaw comb. nov. Basionym: *Crocodelanthe suinii* Luer, *Monogr. Syst. Bot. Missouri Bot. Gard.* 105: 249 (2006).
Sunipia arunachalense (A.N.Rao.) J.M.H.Shaw comb. nov. Basionym: *Ione arunachalense* A.N.Rao, *Rheedea* 7: 48 (1997).
Sunipia kipgenii (Kishor, Chowlu & Vij.) J.M.H.Shaw comb. nov. Basionym: *Ione kipgenii* Kishor, Chowlu & Vij, *Kew Bull.* 67: 517 (2012).
Sunipia rutilans (Seidenf.) J.M.H.Shaw comb. nov. Basionym: *Ione rutilans* Seidenf., *Opera Bot.* 124: 54 (1995).
Telipogon amicorum (Szlach. & Marg.) J.M.H.Shaw comb. nov. Basionym: *Stellilabium amicorum* Szlach. & Marg., *Orchidee (Hamburg)* 57: 322 (2006).
Telipogon deuterocuscoensis J.M.H.Shaw nom. nov. Replaced basionym: *Stellilabium cuscoense* Christenson & Repasky, *Orchid Digest* 72: 170 (2008).
Telipogon neovasquezii J.M.H.Shaw nom. nov. Replaced basionym: *Telipogon vasquezii* Christenson, *Icon. Orchid. Peruv.*: t. 784 (2001).

Genus abbreviations and List of hybrid genera available

A list of abbreviations for orchid genera and a list of orchid hybrid genera with components (as currently used in registration †) are now available as free downloadable documents from the RHS website, as are the quarterly supplements of new orchid hybrids; visit: www.rhs.org.uk/plants/plantsmanship/plant-registration/Orchid-hybrid-registration

Scroll down the page to find the links:

• [Abbreviations for orchid genera](#)

www.rhs.org.uk/plants/pdfs/plant-registration-forms/orchid-name-abbreviations-list

– an alphabetical list of abbreviations for orchid genera, as used in *Sander's List* (Adobe Acrobat pdf 52kB).

• [List of genera with components](#)

www.rhs.org.uk/plants/pdfs/plant-registration-forms/list-of-orchid-genera-with-components

– this list includes the new hybrid genera used in registration following the classification proposed in *Genera Orchidacearum* volume 4 (2005). (Adobe Acrobat pdf 208kB).

• [Orchid hybrid lists](#)

www.rhs.org.uk/about-the-rhs/publications/orchid-hybrid-lists

– a list of supplements available as PDFs to download.

† As in the current *Sander's List of Orchid Hybrids 3 Year Addendum 2008–2010* (published May 2011).

REGISTERING OF NEW ORCHID HYBRIDS AND SEARCHING THE ONLINE REGISTER

The Register may be searched online at:

apps.rhs.org.uk/horticulturaldatabase/orchidregister/orchidregister.asp

The Registration application form may be downloaded for use from:

www.rhs.org.uk/plants/pdfs/plant-registration-forms/orchid-hybrid-registration

A Japanese-language version of the application form is available at:

www.rhs.org.uk/plants/pdfs/plant-registration-forms/orchid-hybrid-registration-in-japanese

• Apply for registration by post to:

International Orchid Registration, 83 Victoria Road, Selston, Nottinghamshire NG16 6AR, UK.
Tel. +44(0) 1773 511814. Fax: +44(0) 115 876 7963. Email: orcreg@rhs.org.uk

• The fee is £10.00 (US\$16.50) per registration.

Due to the bank charges for a dollar cheque now exceeding the registration fee, the RHS cannot accept dollar cheques for single applications. Please use a credit card where possible, or send a single cheque for several applications together.

© Copyright reserved by the Royal Horticultural Society 2014 as the International Cultivar Registration Authority for Orchid Hybrids. General permission to publish reprints of this list is limited to the reproduction of the entire list as printed, including all corrigenda, footnotes and notices, if any, with citation of source and date. It excludes published collation or integration of one issue's part or part thereof with another except by express permission from the Authority. The Authority accepts no responsibility for the accuracy of any reprints.