

(3573)

MAXILLARIA STEELII. MR. STEELE'S MAXILLARIA.

Class and Order.

GYNANDRIA MONANDRIA.

(Nat. Ord.—Orchidez.)

Generic Character.

Perianthium connivens, raro patens. Sepala lateralia cum basi producta columnæ connata. Petala subconformia. Labellum trilobum, cucullatum, sessile, cum basi producta columnæ articulatum. Columna semiteres, aptera. Anthera subbilocularis. Pollinia 2, bipartibilia v. integra, caudicula brevi, glandula transversa.—Epiphytæ (Americanæ) pseudo-bulbosæ, acaules, v. caulescentes. Folia plicata, v. coriacea. Pedunculi radicales, axillares, v. terminales, uni-v. multiflori. Lindl.

Specific Name and Character.

MAXILLARIA Steelii; pseudo-bulbis oblongis annulatis monophyllis, folio longissimo tereti hinc canaliculato, scapo radicali brevi unifloro, perianthio connivente, labello trilobo basi intus glandula oblonga, lateribus inflexis, lobo intermedio obtusissimo bifido.

This highly interesting Orchideous plant was obligingly communicated from the stove of John Moss, Esq., Otterspool, near Liverpool, together with a drawing by Miss Moss, from which the accompanying figure was made. It was introduced in July of last year (1836) by Matthew Steele, Esq., from Demerara. With the flower of Maxillaria, it has a foliage quite at variance with any described species of that Genus, attaining a height of two and even three feet, and proves a most valuable addition to our Epiphytes.

DESCR.

Descr. Pseudo-bulbs numerous, clustered, small, oblong. terete, brownish-green, marked with transverse, jagged, membranous rings: from the top of this arises a single leaf. which suddenly bends almost at an angle, and then hangs down over the sides of the pot, to the length of two or three feet, it is cylindrical, as thick as a swan's quill, with a narrow groove on the upper side which is chiefly seen near The scape is short and single-flowered: the blossom rather large, fragrant, of a dingy reddish-yellow colour; the perianth connivent, blotched with deep purple; sepals oval. acute: petals oblongo-obovate; Lip very broad, streaked with purple, three-lobed, the sides much incurved. the middle lobe very obtuse: at the base of the lip within is a large depressed, oblong, bright yellow gland, streaked with red and crenate at the truncated apex. Column semicylindrical, decurrent below with the two lower sepals, so as to form a blunt spur. Anther hemisphærical. Pollenmasses two, bipartite, fixed to a large transverse gland, by two short candicula.

Fig. 1. Front view of a Flower. 2. Side view of the Lip. 3. Inner view of ditto to show the Gland, the sides being laid open. 4. Column, the Perianth being removed. 5. Pollen-masses:—all but fig. 1. magnified.