134. Stelis bicolor Luer & Hirtz, sp. nov.

Ety.: From the Latin bicolor, "of two colors," referring to yellow sepals and purple petals and lip.

Planta parva, racemo densissime multifloro folio multilongiore, sepalis atroaureis glandulosis late ovatis, petalis purpureis suborbicularibus leviter concavis, labello purpureo subquadrato apice concavo obtuso.

Plant small, epiphytic, densely caespitose; roots fasciculate, slender. Ramicauls erect, stout, 2-3.5 cm long, enclosed by 2 loose, tubular sheaths. Leaf erect, coriaceous, narrowly elliptical, subacute to obtuse, 3-5 cm long, 1-1.8 cm wide, narrowly cuneate below into a subpetiolate base. Inflorescence an erect, strict, distichous, many-flowered raceme, 13-17 cm long including the peduncle 3-6 cm long, with numerous flowers open simultaneously, with a slender spathe 1.5 cm long, from an annulus below the apex of the ramicaul; floral bracts inflated, acute, oblique, 3-4 mm long; pedicels 1-1.5 mm long; ovary 1 mm long; sepals dark yellow, expanded, glandular-cellular within, broadly ovate, obtuse, subequal, connate basally, the dorsal sepal 2 mm long, 2.5 mm wide, 3-veined, the lateral sepals oblique, 1.75 mm long, 2 mm wide, 3-veined; petals purple, transversely suborbicular, the apex broadly rounded, slightly thickened, 0.8 mm long, 1 mm wide, 3-veined, concave; lip purple, subquadrate, 0.8 mm long, 0.9 mm wide, 0.5 mm deep, the apex broadly rounded with a broad apiculum, shallowly concave anteriorly with a superficial glenion, the dorsum featureless, the base broadly truncate, hinged to the base of the column; column stout, 0.8 mm long, 0.8 mm wide, the foot obsolescent, the anther and the bilobed stigma apical.

Loja: dirt road west of Saraguro, alt. 3700 m, 11 July 2002, A. Hirtz, Ximena & Nicole Hirtz 8420 (Holotype: MO), C. Luer illustr. 20203.

This species occurs in semi-arid mountains at a high altitude in southeastern Ecuador. It is characterized by short ramicauls; twice longer, subsessile, elliptical leaves; and a much longer, congested inflorescence with dark yellow sepals and purple petals and lip. The sepals are broadly ovate and obtuse, the petals are shallowly rounded, and the lip is concave anteriorly with a low, broad apiculum.




Fig. 134. Stelis bicolor