

376. *Chondrorhyncha Lipscombiae*, Rolfe; affinis *C. albicanti*, Rolfe, sed foliis longioribus, floribus majoribus et labello subtrilobo differt.

Herba caespitosa. *Folia* arcuata vel suberecta, elongato-lanceolata, acuta, basi conduplicata, supra basin articulata, 8-30 cm. longa, 2-2.5 cm. lata. *Scapi* patentes, graciles, circiter 6-7 cm. longi, vaginis paucis obtecti. *Bracteae* oblongae, obtusae, 1 cm. longae. *Sepala* subpatentia, oblongo-lanceolata, acuta, subconcava, sepalum posticum 2 cm. longum, lateralia 2.5 cm. longa. *Petala* oblongo-lanceolata, acuta, 2 cm. longa. *Labellum* concavum, fere quadratum, subtrilobum, 2.3 cm. longum et latum, basi subsaccatum, apice obcordato-bilobum; lobi laterales ovato-rhomboides, subacuti; crista transversa, membranacea, apice 5-7 dentata. *Columna* late clavata, 1.6 cm. longa.

PANAMA.

Flowered in the collection of Mrs. Lipscomb, Wilton Grove, Wimbledon, in December, 1911. It was found by her son, Mr. Lancelot Lipscomb, when helping to clear some "bush" for rubber and cocoa planting, and was sent home with a good many others in 1910. The flowers are white, with some light purple veins on the lip.